


CINCINNATI, OHIO, U. S. A.



"NORWOOD"



TREE GUARD—TRELLIS—FLOWER GUARD
FACTORY FENCE—CHAIN LINK and RUBBISH CONSUMERS

Manufactured by

H. L. BROWN FENCE & MFG. CO.

CINCINNATI, OHIO

Guarantee

All "Norwood" Quality Products are sold with the understanding that they must be equal to the description in these pages and we stand ready to replace any of our products not found as represented.

H. L. Brown Fence & Mfg. Co.

FOREWORD



N PRESENTING this catalogue it is our aim to place before the trade in a concise and comprehensive manner the high quality products manufactured by us.

Our products are sold absolutely on merit.

Compare the weights of our products with those of other makes. The heavier copper bearing wire offers greater stability and longer service.

Only the best materials enter into the construction of "Norwood" Quality Products. Skilled workmen and rigid inspection combine to maintain our high standard.

If you want to handle a high-grade product you can select no better than the "NORWOOD"


Manufactured by

H. L. BROWN FENCE & MFG. CO. CINCINNATI, OHIO



FABRIC, STYLE NUMBER 100 AND 300

A pleasing design that combines service and economy.



General Appearance.

DESCRIPTION OF FABRIC

This style of fabric is made of heavily galvanized wire. The crimped uprights or pickets are 9 gauge wire. In the No. 100 fabric these are spaced 3 inches apart, and in the No. 300 fabric these are spaced 17/8 inches apart.


The curved top of each picket is securely interlocked with the adjoining picket forming the "Double Top."

Twisted cable line wires are No. 12 gauge, spaced 6 inches apart, except the top two cables which are $2\frac{1}{2}$ inches apart.

DIMENSIONS AND LIST PRICES

Height of fabric in inches 24	30	36	42	48	54	60	66	72	78	84
Number of cables 5	6	7	8	9	10	11	12	13	14	15
List, per lineal foot No. 100 12c	14c	16c	18c	20c	24c	28c	30c	34c		
List, per lineal foot No. 300 20c	22c	24c	27c	30c	33c	36c	40c	45c	53c	62c

Put up in 165, 250 and 330 foot rolls.



Detail of Construction.


All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



FABRIC, STYLE NUMBER 600, DOUBLE BOW

Very Substantial and Ornamental.

Without doubt the most universally popular LAWN FENCE made.



General Appearance.

DESCRIPTION OF FABRIC


This fabric is made of heavily galvanized wire. The crimped uprights, or pickets, are No. 9 wire, spaced 3 inches in upper section of the fence and 1½ inches in lower section. The curved top of each picket is tightly interwoven with adjoining pickets, forming our strong "Double Top." In the lower section, the full-length pickets are interwoven with an additional

No. 9 crimped picket, starting at the bottom of the fence, and extending upward as shown, forming a bow at the fourth cable, thus making the spacing between the pickets 1½ inches in the lower section. The double horizontal twisted wires, or cables, are 12-gauge, spaced 6 inches apart except the top two cables which are spaced 2½ inches apart.

The extra pickets at bottom of fabric engage the lower cables as follows: 24 and 30 inch, three lower cables; 36 and 42 inch, four cables; 48 and 54 inch, five cables; 60 and 66 inch, six cables; 72 and 78 inch, seven cables; 84 inch, eight cables.

DIMENSIONS AND LIST PRICES

Height of fabric in inches 24	30	36	42	48	54	60	66	72	78	84
Number of cables 5	6	7	8	9	10	11	12	13	14	15
List, per lineal foot 18c	20c	22c	24c	28c	32c	36c	40c	44c	54c	63c
Put up in										




Detail of Construction.

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



CHAIN LINK FABRIC



Made of high grade copper bearing steel wire. Fabric is hot dipped galvanized after weaving. Stay wires are spiral and run continuous from top to bottom, making a very strong fabric. Top and bottom edges are barbed and knuckled, as wanted.

Used for residences, factories, schools, public buildings, parks, tennis courts, window guards, tool rooms, game enclosures or any place requiring substantial non-climbable protection which will endure.

Illustrates barbed top and knuckled bottom.


LIST PRICE PER LINEAL FOOT-GALVANIZED AFTER WEAVING

Mesh	Gauge	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	120"	144"
11/2"	9	.25		.37	.41	.46	.57	.68	.79	.90	1.00	1.10	1.30
13/4"	11	.16		.23	.25	.28	.34	.40	.46	.52	.58	.64	.76
2 "	11	.13		.20	.22	.24	.28	.32	.36	.40	.44	.48	.56
2 "	9	.16		.23	.25	.23	.34	.40	.46	.52	.58	.64	.76
2 "	6	.23	.28	.34	.39	.42	.52	.62	.72	.82	.92	1.02	1.22
3 "	4	.23	.28	.34									

Subject to discount.

Special sizes up to 12 feet high can be made to order. Also, can furnish Chain Link Fabric made of copper-bearing rust-resisting wire, heavily GALVANIZED BEFORE WEAVING. Prices on application.





NUMBER 704 FACTORY FENCE

This Special Fabric is made of heavily galvanized wire. The uprights, or pickets, are No. 9 crimped wire spaced 13/4 inches. The double horizontal twisted wires, or cables, are of 12-gauge wire, spaced 51/2 inches to 61/2 inches according to height of fence, except the top two

cables, which are uniformly spaced 2½ inches. The two rows of barbed wire and posts are not a part of the fabric and are not included in the price. This fabric is put up in stock rolls 165, 250 or 330 feet. Special length rolls to order.

LIST PRICES OF FABRIC PER LINEAL FOOT


Height of fabric in inches	54	60	66	72	78	84
Number of cables 9						
List, per lineal foot	37c	40c	44c	48c	52c	57c

A stout non-climbable fence designed for enclosing grounds of factories, schools, parks, play grounds, orchards or wherever protection is necessary and where limited cost is an item. Gates can be furnished with this web or fabric to match this fence. Can be used for window guards and tree guards.

Page Seven

"NORWOOD" ORNAMENTAL WALK GATES

Substantial and Serviceable.



(Cut is No. 600 Filler)

These Gates can be furnished with any style filler—Style No. 600, No. 100 or No. 704; with Chain Link Filler quoted on request.

The fabric is all made to fit the gate frame and will exactly match the fence fabric described in this catalogue under the same number. There are no sharp ends of wire projecting, and each web is a complete piece of fabric in itself, specially woven to size.

Frames are made of best grade standard pipe 11/8 inch outside diameter. All Ornamental Gates are equipped with scroll top and spring latch.

The design is pleasing and dignified and is truly worthy of the name Ornamental.

All special sizes of Lawn Gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON BLACK OR GREEN ENAMELED GATES

Ope	ning	g	3 ft.	3½ ft.	4 ft.	5 ft.
Height	36	inches	\$5.00	\$5.20	\$5.40	\$7.00
Height	42	inches	5.20	5.40	5.60	7.20
Height	48	inches	5.40	5.60	5.80	7.40
Height	54	inches	6.50	6.70	7.00	8.90
Height	60	inches	7.80	8.10	8.40	10.70

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates furnished at small additional cost.

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL

"NORWOOD" ECONOMY WALK GATES

Plain Top Rail, Without Scroll.

The fabric is made to fit the gate frame and all ECONOMY gates are furnished with any style fabric to match our fence designs.

Frames are made of best grade standard pipe 11/8 inch outside diameter.

Gates are shipped complete with all

necessary fittings ready to hang to wood post. Our "Economy" gate has long been regarded the BEST GATE VALUE obtainable for the price.

All special size lawn gates are charged at the list price of our next larger regular size gate plus 50c net.


LIST PRICES ON BLACK OR GREEN ENAMELED GATES

Ope	nin	g	3 ft.	3½ ft.	4 ft.
Height	36	inches	\$4.40	\$4.60	\$4.80
			4.60	4.80	5.00
_		inches		5.00	5.20
		inches		6.00	6.30
		inches		7.20	7.60

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates furnished at small additional cost.




(Cut is No. 600 Filler)

These Gates can be furnished with any style filler—Style No. 600, No. 100 or No. 704; with Chain Link Filler quoted on request.

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



"NORWOOD" ORNAMENTAL SINGLE DRIVE GATES



Cut shows No. 600 Filler.

These Gates can be furnished with any style filler— Style No. 600, No. 100, No. 704; with Chain Link Filler quoted on request. The fabric for each gate is woven especially to fit the gate frame and to match the fence fabric of the corresponding style number. There are no wire ends projecting and each web is a complete piece of fabric in itself. Frames are made of the best grade standard pipe 13/8 inch outside diameter. All Ornamental Gates are equipped with scroll top and spring latch. Fitted with adjustable brace wire to prevent sagging.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON ENAMELED BLACK OR GREEN ORNAMENTAL GATES. ANY STYLE FILLER

Opening	6 ft.	8 ft.	10 ft.	12 ft.	14 ft.	16 ft.
Height 36 inches Height 42 inches Height 48 inches Height 54 inches Height 60 inches	8.20 8.40 10.00	\$12.00 12.20 12.40 14.90 17.90	\$14.00 14.20 14.40 17.30 20.80	\$16.00 16.20 16.40 19.70 23.70	\$18.00 18.20 18.40 22.10 26.60	\$20.00 20.20 20.40 24.50 29.50

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates and Fittings furnished at small additional cost.

"ECONOMY" SINGLE DRIVE GATES same construction as Ornamental Gates, except without scrolls on top. List prices \$1.00 less than above.


All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



"NORWOOD" ORNAMENTAL DOUBLE DRIVE GATES

The fabric for each gate is woven especially to fit the gate frame and to match the fabric of the fence of the corresponding style number. There are no sharp ends projecting and each web is a complete piece of fabric in itself. Frames are made of best grade standard pipe 11/8 inch outside diameter. All Ornamental Gates are equipped with scroll top and spring latch. Gates 5 feet and over in width are reinforced by strong brace wire to prevent sagging.

All special size gates charged at the list price of our next larger regular size gate plus 50c net.



Cut is No. 600 Filler.

These Gates can be furnished with any style filler-Style No. 600, No. 100, No. 704; with Chain Link Filler quoted on request. Rod or Bolt Lock.

LIST PRICES ON BLACK OR GREEN ENAMELED ORNAMENTAL GATES. ANY STYLE FILLER


Opening	8 ft.	10 ft.	12 ft.	14 ft.	16 ft.	18 ft.
Height 36 inch		\$13.60	\$15.60	\$17.60	\$21.60	\$25.60
Height 42 inch		13.80	15.80	17.80	21.80	25.80
Height 48 inch		14.00	16.00	18.00	22.00	26.00
Height 54 inch	nes 14.40	16.80	19.20	21.60	26.40	31.20
Height 60 inch		20.20	23.10	27.00	31.70	37.50

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22. Galvanized Gates furnished at small additional cost.

"ECONOMY" DOUBLE DRIVE GATES same construction as Ornamental Gates. except without scrolls on top. List Prices, \$2.00 less than above.

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL INSTRUCTION FOR ORDERING GATES, SEE PAGE 23



Cut shows No. 600 Filler.

These Gates can be furnished with any style filler—Style No. 600, No. 100, No. 704; with Chain Link Filler quoted on request.

"NORWOOD" ECONOMY FARM GATE

A strong gate made of standard pipe 13% inch outside diameter, braced to prevent sagging.

Built to stand heavy usage and to give satisfaction.

Furnished in any style web to exactly match our various fence designs.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON BLACK OR GREEN ENAMELED GATES, FILLED WITH ANY STYLE FABRIC

Opening	8 ft.	10 ft.	12 ft.	14 ft.	16 ft.
Height 42 inches	\$ 9.50	\$10.40	\$12.60	\$13.70	
Height 48 inches	10.10	10.95	13.35	14.40	\$15.80
Height 54 inches	10.40	11.90	13.40	14.90	17.40
Height 60 inches	12.50	14.30	17.20	17.90	20.90

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates furnished at small additional cost.


All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL

"NORWOOD" SQUARE MESH FARM GATE

Frames are of standard pipe 13% inches, outside diameter. The web is made to fit each frame and is woven of all No. 9 gauge galvanized wire. Stay wires are spaced six inches apart, while the line wires form a graduated mesh, being six inches space at the top and as close as two inches at the bottom.

This Gate is designed to give long service under the severe conditions found on the farm. The hinges are of ample strength to stand the varying strains. The top hinge is long enough to go through a 11 inch post.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.



LIST PRICES ON BLACK OR GREEN ENAMELED GATES

Opening 8 ft.	10 ft.	12 ft.	14 ft.	16 ft.
Height 42 inches \$ 9.1	5 \$10.00	\$11.50	\$12.50	
Height 48 inches 9.70	0 11.00	11.50	12.50	\$14.00
Height 54 inches 10.0	0 11.00	12.00	13.00	15.00

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates furnished at small additional cost.


All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



"NORWOOD" TRELLIS

The two designs of TRELLIS illustrated are made of heavy copper bearing rust-resisting wire.

"Norwood" TRELLIS is a little higher in price than poultry netting, but is more convenient, ornamental and substantial.



Trellis Style No. 107

LIST PRICES


Per Lineal Foot

W	idth	No. 107	No. 108
18	inch	8c	14c
24	inch	10c	16c
30	inch	12c	18c

Put up in 165, 250 and 330 foot rolls.

Trellis Style No. 108


Either design with the aid of light wood, or iron pipe supports will lend itself to a variety of artistic effects, in forming arches, for climbing plants, over gates, bird baths and the flag stone paths through milady's flower garden.



Style No. 1



"NORWOOD" TREE GUARD



STYLE No. 2 TREE GUARD is substantially made of No. 6 galvanized wire woven together with No. 12½ galvanized twisted cable wires.

DIMENSIONS AND LIST PRICES

Num	ber 1		Number 2				
Diameter 9 in.	12 in.	15 in.	Diameter 9 in.	12 in.	15 in.		
Height72 in.	72 in.	72 in.	Height 72 in.	72 in.	72 in.		
Per Doz. \$45.00	\$48.00	\$52.00	Per Doz. \$17.00	\$20.00	\$23.00		

In laying out public parks, subdivisions, golf links and boulevards, many valuable young trees are often subject to irreparable damage which can be prevented at small cost by our protecting TREE GUARDS.




Style No. 2

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



"NORWOOD" FLOWER BED GUARD, STYLE No. 150




Our Flower Guard makes a handsome and protective addition to the flower bed. No posts nor braces are needed. The pickets project $4\frac{1}{2}$ inches below the bottom cable. When these pickets are inserted in the ground, and the ends of the fabric connected, the miniature fence stands firmly erect. The fabric is of special heavily galvanized wire. The crimped uprights or pickets, are No. 9 wire spaced 3 inches apart strongly woven with No. 12 twisted galvanized cable wires.

LIST PRICES Per Lineal Foot

16	inch						11c
22	inch						13c
28	inch						15c
Pu	t up i	n 165,	250	and	330	foot	rolls.

This FLOWER GUARD will be found particularly effective in confining the winter mulch for beds of perennials as well as protecting young plant beds from damage. Easily conforms to any shape flower bed and can be installed and taken up with very little effort. Also can be used for protection along cement walks, etc.

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



This shows in detail the construction of the fabric of our Heavy Duty Flower Bed Guard.



"NORWOOD" RUBBISH CONSUMERS

"NORWOOD" Consumers are made of No. 9 heavily galvanized crimped upright wires, spaced 1½ inches apart and interwoven with No. 12½ heavily galvanized twisted cable wires spaced


6 inches apart—except the top two cable wires, which are $2\frac{1}{2}$ inches apart, to give additional strength at the top. Consumers nest each size in next larger size for convenience in shipping and storing.

DIMENSIONS AND LIST PRICES

Number	1	2	3	4
Diameter	12 in.	15 in.	18 in.	21 in.
Height	18 in.	22 in.	26 in.	31 in.
Per Dozen	\$24.00	\$27.00	\$30.00	\$40.00

Note-NORWOOD CONSUMERS are re-enforced at top with steel band to give additional strength.

"NORWOOD" CONSUMERS enable the home-owner to safely dispose of the daily accumulation of paper and other rubbish. The style of the fabric and woven wire top prevent scattering of burning embers.



NOTE—When Purchasing Consumers, we suggest ordering equal amounts of each different size so that they can be nested in shipping. This will affect a considerable savings in freight. If all of one size they can not be nested.

All "NORWOOD" PRODUCTS are made of COPPER BEARING RUST-RESISTING STEEL



LIST PRICES OF "NORWOOD" PRODUCTS

FABRIC

See Descriptions, Pages 4, 5, 6, 7, 14 and 16

Style No.				HEI	GHT	, IN	INC	HES-	–List	per .	Linea	1 Foo	t		
	16	18	22	24	28	30	36	42	48	54	60	66	72	78	84
150	11c		13c		15c										
107		8c		10c		12c									
108		14c		16c		18c									
100				12c		14c	16c	18c	20c	24c	28c	30c	34c		
300				20c		22c	24c	27c	30c	33c	36c	40c	45c	53c	62
600				18c		20c	22c	24c	28c	32c	36c	40c	44c	54c	63
704									32c	37c	40c	44c	48c	52c	57

WALK GATES

See Descriptions, Pages 8 and 9

	ECONO	MY		ORNAMENTAL					
Height Inches	ЗОр	ening—F	Feet 4	Height Inches	3	Opening 31/2	5		
36	\$4.40	\$4.60	\$4.80	36	\$5.00	\$5.20	\$5.40	\$7.00	
42	4.60	4.80	5.00	42	5.20	5.40	5.60	7.20	
48	4.80	5.00	5.20	48	5.40	5.60	5.80	7.40	
54	5.80	6.00	6.30	54	6.50	6.70	7.00	8.90	
60	6.90	7.20	7.60	60	7.80	8.10	8.40	10.70	

TREE GUARDS

See Descriptions, Page 15.

Per Dozen

Dian	1. S	tyle
Inche	s No. 1	No. 2
9	\$45.00	\$17.00
12	48.00	20.00
15	52.00	23.00

RUBBISH CONSUMERS

See Descriptions, Page 17.

Diam Inches	Per Doz.
12	\$24.00
15	27.00
18	30.00
21	40.00



LIST PRICES OF "NORWOOD" PRODUCTS

FARM GATES

See Descriptions, Pages 12 and 13


		"ECC	NOMY"			SQUARE MESH					
Height Inches	8 ft.	10 ft.	Opening 12 ft.	14 ft.	16 ft.	Height Inches	8 ft.	10 ft.	Opening 12 ft.	14 ft.	16 ft.
42	\$ 9.50	\$10.40	\$12.60	\$13.70		42	\$ 9.15	\$10.00	\$11.50	\$12.50	
48	10.10	10.95	13.35	14.40	\$15.80	48	9.70	11.00	11.50	12.50	\$14.00
54	10.40	11.90	13.40	14.90	17.40	54	10.00	11.00	12.00	13.00	15.00
60	12.50	14.30	17.20	17.90	20.90	60					

ORNAMENTAL DRIVE GATES

See Descriptions, Pages 10 and 11

		SIN	GLE DR	IVE			DOUBLE DRIVE						
Heigh Inche		8 ft.	Ope 10 ft.	ning 12 ft.	14 ft.	16 ft.	Height Inches	8 ft.	10 ft.	Ope 12 ft.	ning 14 ft.	16 ft.	18 ft.
36	\$ 8.00	\$12.00	\$14.00	\$16.00	\$18.00	\$20.00	36	\$11.60	\$13.60	\$15.60	\$17.60	\$21.60	\$25.60
42	8.20	12.20	14.20	16.20	18.20	20.20	42	11.80	13.80	15.80	17.80	21.80	25.80
48	8.40	12.40	14.40	16.40	18.40	20.40	48	12.00	14.00	16.00	18.00	22.00	26.00
54	10.00	14.90	17.30	19.70	22.10	24.50	54	14.40	16.80	19.20	21.60	26.40	31.20
60	12.00	17.90	20.80	23.70	26.60	29.50	60	17.50	20.20	23.10	27.00	31.70	37.50
FOR	0111011		MY" DE			EDUCT	FOR DO		"ECONO		RIVE GA		EDUCT

For convenience in ordering, we illustrate herewith the substantial fittings we furnish our trade.



WHEN ORDERING, USE BOTH NUMBER AND DESCRIPTION—See Page 22 for Additional Fittings.

All post dimensions given below are OUTSIDE diameters


For Identification, Refer to Illustrations on Opposite Page.

No.	DESCRIPTION	Black	Galv.	No.	DESCRIPTION	Black	Galv.
100	Malleable one-piece gate hinge, 17/8' post	\$0.30	\$0.35	200	Spring latch, walk or D. D. gate, 11/8' frame		.60
101	Malleable two-piece gate hinge, 17/8'	,	.45	201	Spring latch, walk or S. D. gate, 13%' frame	,	.70
101A	Malleable two-piece gate hinge, 2'			225	Brace clamps, 11/8" frame		.30
IUIA	post	4.0	.50	226	Brace clamps, 13/8" frame		.35
101B	Malleable two-piece gate hinge, 21/2'			250	Malleable corner lugs, 11/8" frame		.30
1012	post	4 5	.55	251	Malleable corner lugs, 13/8" frame	35	.40
101C	Malleable one-piece gate hinge, 23/8"			275	Eye bolt for brace wire		.30
1010	post		.55	400	7 ft. lean-to brace, 17/8" post	1.50	1.70
106	Gate hinge clamp, 11/8" walk gate	25	.30	401	Fittings for 13/8" lean-to brace and		
107	Gate hinge clamp for 13/8" drive gate		.45	000	17/8" post		.60
150	Malleable keeper, 17/8" post		.50	800	Steel walk gate fittings, 15/8" iron post	80	1.00
-150A	Malleable keeper, 2" post	.45	.55	801	Steel drive gate fittings, 15/8" iron	1	1.00
150B	Malleable keeper, 2½" post		.60		post fitting	85	1.05
150C	Malleable keeper, 23/8" post		.60	802	Steel walk gate fittings, 23/8" iron post		
153	Elephant ear for wood post		.75		fitting	.80	1.00
154	Malleable keeper for double drive			803	Steel drive gate fittings, 23/8" iron post	t	
101	gates	0.5	.30	001	fitting		1.05
155	Steel keeper for walk gate wood post	.25	.30	804	Steel walk gate fittings, 27/8" iron post		
156	Malleable walk gate hinge lug	.25	.30	805	fitting		1.05
157	Malleable drive gate hinge lug	.35	.40	803	Steel drive gate fittings, 27/8" iron post		1.15
158	Malleable walk gate lag screw 41/2"			850	Steel keepers, 15/8" iron post fitting		1.15
	long		.35	851			
159	Malleable drive gate lag screw 6" long		.40		Steel keepers, 23/8" iron post fitting		.90
160	Forged drive gate lag screw 13" long	1.00	1.25	852	Steel keepers, 27/8" iron post fitting	80	.95

SUBJECT TO SAME DISCOUNTS APPLYING TO GATES.

WHEN ORDERING, USE BOTH NUMBER AND DESCRIPTION-See Page 22 for Additional Fittings.

For convenience in ordering, we illustrate herewith the substantial fittings we furnish our trade.



WHEN ORDERING, USE BOTH NUMBER AND DESCRIPTION—See Pages 20 and 21 for Additional Fittings.

All post dimensions given below are OUTSIDE diameters For Identification, Refer to Illustrations on Opposite Page.

No.	DESCRIPTION	Black	Galv.	No.	DESCRIPTION	Black	Galv.
101SW	Inclined steel band walk gate fitting			495	Two-way steel adjustable 13/8" top rail		
	17/8" post	\$0.90	\$1.10		clamps, 23/8" post		.50
101SD	Inclined steel band, drive gate fitting	95	1.15	496	Two-way steel adjustable 15/8" top rail		
102S	Steel (inclined) walk gate fittings	,			clamps, 17/8" post		.50
103S	23/8" iron post fitting		1.05	497	Two-way steel adjustable 13/8" top rail clamps, 17/8" post	.40	.50
1035	23/8" iron post fitting		1.10	499	Malleable two-way adjustable 13/8" tor)	
104S	Steel (inclined) walk gate fittings				rail clamps, 23/8" post	.50	.60
1010	27/8" iron post fitting		1.10	500	Malleable two-way adjustable 13/8" top)	
105S	Steel (inclined) drive gate fittings				rail clamps, 17/8" post		.50
1000	27/8" iron post fitting		1.20	501	One-way steel clamp, 13/8" top rail	,	
106S	Inclined malleable walk gate hinge				17/8" post	40	.50
1000	clamp		.40	502	One-way steel clamp, 15/8" top rail		-
107S	Inclined malleable drive gate hinge		.50		17/8" post	.50	.60
153S	Malleable elephant ear for wood post.			503	One-way steel clamp, 13/8" top rail	, 40	.50
1335	new patented		1.00	504	23/8" post	40	.30
156S	Malleable walk gate hinge lug incline		.35	504	One-way steel clamp, 15/8" top rail 23/8" post	.50	.60
157S	Malleable drive gate hinge lug incline		.45	505	One-way steel clamp, 15/8" top rail		.00
158S	Malleable walk gate lag screw, 4½"			303	27/8" post		.60
1305	long, inclined		.40	520	Two-way cable stretcher (Pat. applied		
159S	Malleable drive gate lag screw 6" in-			020	for), 17/8" post		.60
1000	cline		.45	521	One-way cable stretcher (Pat. applied		
250S	Double drive bottom lugs, 11/8" frame		.35		for), 17/8" post	.50	.60
251S	Malleable D. D. bottom lugs, 13/8"			530	Ball top to fit 17/8" post		.60
2015	frame		.45	535	Ring ball tops, 15/8" rail, 17/8" post		.75
255	Double drive rod guide, 11/8" frame		.30	536	Ring ball tops, 13/8" rail, 15/8" post	50	.60
256	Double drive rod guide, 13/8" frame		.35	537	Ring ball tops, 13/8" rail, 17/8" post	60	.70
492	Two-way steel not adjustable 15%" tor			540	Ring ball tops, 13/8" rail, U post		.60
.52	rail clamps, 23/8" post		.60	543	Small flower guard for chain U post		.30
493	Two-way steel adjustable 15/8" top rail			550	Walk gate scroll, 23" to 37"		1.10
	clamps, 27/8" post		.50	551	Single drive gate scroll, 43"	1.25	1.40
494	Two-way steel adjustable 15/8" top rail			552	Double drive scrolls, 23" to 37", per		
,,,,	clamps, 23/8" post		.50		pair		2.20

SUBJECT TO SAME DISCOUNTS APPLYING TO GATES.

WHEN ORDERING, USE BOTH NUMBER AND DESCRIPTION—See Pages 20 and 21 for Additional Fittings.



IMPORTANT

To avoid errors, please give the following information when ordering gates.

First—STYLE of gate and FILLER wanted.

Second—Height in INCHES.

Third—Width of opening in FEET.

Fourth—Whether for WOOD or IRON posts.

Fifth—Whether frame is wanted GREEN or BLACK ENAMELED, or GALVANIZED.

EXAMPLE—1 ornamental No. 600 walk gate, 42 inches high by 3½ feet wide, wood posts, galvanized.



Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL
www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:
Gerron S. Hite
West Texas Collection, Angelo State University, San Angelo, TX





H. L. BROWN FENCE & MFG. CO. CINCINNATI, OHIO